## SAFETY DATA SHEET ERADISECT NATURAL INSECT KILLER

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of	f the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	ERADISECT NATURAL INSECT KILLER
Application Rate:	
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	Insecticide.
Lines advised against	
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier o	f the safety data sheet
Supplier	Fort Products Limited
	Unit 16 Euro Business Park
	New Road
	Newhaven
	East Sussex
	BN9 0DQ
	United Kingdom
	01273911400
1.4. Emergency telephone n	umber
SECTION 2: Hazards identif	ication
2.1. Classification of the sub	stance or mixture
Classification (EC 1272/200	8)
Physical hazards	Aerosol 1 - H222, H229
Health hazards	Skin Irrit. 2 - H315 STOT SE 3 - H336
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410
2.2. Label elements	
Pictogram	
<b>A A</b>	



Signal word

Hazard statements

¥\_\_\_\_

Danger

- H222 Extremely flammable aerosol.
- H229 Pressurised container: may burst if heated.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P251 Do not pierce or burn, even after use.</li> <li>P261 Avoid breathing spray.</li> <li>P264 Wash contaminated skin thoroughly after handling.</li> <li>P273 Avoid release to the environment.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P312 Call a POISON CENTRE/doctor if you feel unwell.</li> <li>P332+P313 If skin irritation occurs: Get medical advice/ attention.</li> <li>P362+P364 Take off contaminated clothing and wash it before reuse.</li> <li>P391 Collect spillage.</li> <li>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 Store locked up.</li> <li>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>
Supplemental label information	EUH066 Repeated exposure may cause skin dryness or cracking. EUH 208 Contains Pyrethrins. May produce an allergic reaction.
Contains	HEPTANE
2.3. Other hazards	
Not known	
SECTION 3: Composition/info	ormation on ingredients
3.1. Substances	
Synonym	
3.2. Mixtures	
HEPTANE	10-30%
CAS number: 142-82-5	EC number: 205-563-8
Classification Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 STOT SE 3 - H336 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411	
Hamsol IPG CAS number: 90622-57-4	5-10%
<b>Classification</b> Flam. Liq. 3 - H226 Asp. Tox. 1 - H304 Aquatic Chronic 4 - H413	

Hamsol IPJ		1-5%	
CAS number: 93763-35-0	EC number: 926-141-6		
<b>Classification</b> Asp. Tox. 1 - H304			
PIPERONYL BUTOXIDE TE	CHNICAL	<1%	
CAS number: 51-03-6	EC number: 200-076-7 REACH registration number: 01- 2119537431-46-0000		
M factor (Acute) = 1	M factor (Chronic) = 1		
<b>Classification</b> Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			
Pyrethrins in Petroleum distil	llates	<1%	
M factor (Acute) = 100	M factor (Chronic) = 100		
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			
The full text for all hazard stat	tements is displayed in Section 16.		
SECTION 4: First aid measur	es		
4.1. Description of first aid me	easures		
General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the m personnel.	nedical	
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.		
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention if symptoms are severe or persist.		
Skin contact	Rinse with water.		
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medica attention if any discomfort continues.	I	
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.		

### 4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.			
Inhalation	A single exposure may cause the following adverse effects: Headache. Nausea, vomiting. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narcotic effect.			
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur.			
Skin contact	Redness. Irritating to skin.			
Eye contact	May be slightly irritating to eyes. May cause discomfort.			
4.3. Indication of any immediat	te medical attention and special treatment needed			
Notes for the doctor	Treat symptomatically.			
SECTION 5: Firefighting meas	ures			
5.1. Extinguishing media				
Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.			
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.			
5.2. Special hazards arising fro	om the substance or mixture			
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Bursting aerosol containers may be propelled from a fire at high speed. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Vapours may form explosive mixtures with air.			
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.			
5.3. Advice for firefighters				
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.			
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.			
SECTION 6: Accidental releas	e measures			

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Evacuate area. Risk of explosion. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated.

6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Under normal conditions of handling and storage, spillages from aerosol containers are unlikely. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Small Spillages: Wipe up with an absorbent cloth and dispose of waste safely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Avoid exposing aerosol containers to high temperatures or direct sunlight. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin. Avoid contact with eyes. Avoid inhalation of vapours and spray/mists.			
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.			
7.2. Conditions for safe storage	e, including any incompatibilities			
Storage precautions	Store away from incompatible materials (see Section 10). Store locked up. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Do not store near heat sources or expose to high temperatures. Do not expose to temperatures exceeding 50°C/122°F.			
Storage class	Miscellaneous hazardous material storage.			
7.3. Specific end use(s)				
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.			
Usage description	Pesticide			
SECTION 8: Exposure controls/Personal protection				

- 8.1. Control parameters
- Occupational exposure limits

### HEPTANE

Long-term exposure limit (8-hour TWA): WEL 500 ppm 2085 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL WEL = Workplace Exposure Limit

### 8.2. Exposure controls

Protective equipment	
Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Hand protection	Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

	• •
Appearance	Aerosol.
Colour	Colourless to pale yellow.
Odour	Mild (or faint). Kerosene.
Odour threshold	No information available.
рН	No information available.
Melting point	No information available.
Initial boiling point and range	No specific test data are available.
Flash point	Highly Flammable
Evaporation rate	No information available.
Evaporation factor	No information available.

Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	Min 0.725 to Max 0.755 g/mL
Bulk density	No information available.
Solubility(ies)	No information available.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Explosive under the influence of a flame	No information available.
Oxidising properties	Not determined.
9.2. Other information	
Other information	Water content <0.05%
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	See the other subsections of this section for further details.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidising agents.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposing aerosol containers to high temperatures or direct sunlight. Pressurised container: may burst if heated
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological int	formation

### 11.1. Information on toxicological effects

Acute toxicity - oral		
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal		
Notes (dermal LD <sub>50</sub> )	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Animal data	Irritating.	
Serious eye damage/irritation		
Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	STOT SE 3 - H336 May cause drowsiness or dizziness.	
Target organs	Central nervous system	
Specific torget organ tovicity	reported evenesure	
Specific target organ toxicity - STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
STOT - Tepealed exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the	
	length of exposure.	
Inhalation	A single exposure may cause the following adverse effects: Headache. Nausea, vomiting Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narco effect.	
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur.	
Skin contact	Redness. Irritating to skin.	
Eye contact	May be slightly irritating to eyes. May cause discomfort.	

Route of exposure	Ingestion Inhalation Skin and/or eye contact			
Target organs	Central nervous system			
Toxicity of ingredients	Pyrethrins: LD50 rat (oral) 900-2000 mg/kg. LD50 rat (dermal) >1500 mg/kg.			
SECTION 12: Ecological infor	mation			
Ecotoxicity	The product contains substances which are toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.			
12.1. Toxicity				
Toxicity	Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.			
12.2. Persistence and degrad	ability			
Persistence and degradability	The degradability of the product is not known.			
12.3. Bioaccumulative potenti	<u>al</u>			
Bioaccumulative potential	No data available on bioaccumulation.			
Partition coefficient	No information available.			
12.4. Mobility in soil				
Mobility	The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.			
12.5. Results of PBT and vPv	B assessment			
12.6. Other adverse effects				
Other adverse effects	None known.			
Toxicity of ingredients				
SECTION 13: Disposal consid	Jerations			
13.1. Waste treatment method				
General information	This material and its container must be disposed of in a safe way. Do not puncture or incinerate, even when empty.			
Disposal methods	Empty containers must not be punctured or incinerated because of the risk of an explosion. Dispose of contents/container in accordance with national regulations.			
Waste class	Waste disposal key number from EWC is 20 01 19 (Pesticides)			
SECTION 14: Transport inform	mation			
14.1. UN number				
UN No. (ADR/RID)	1950			
	1950 1950			
UN No. (ADR/RID)				
UN No. (ADR/RID) UN No. (IMDG)	1950			
UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) UN No. (ADN)	1950 1950 1950			
UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO)	1950 1950 1950			

Proper shipping name (	ICAO)	AEROSOLS
------------------------	-------	----------

Proper	shipping	name	(ADN)	AEROSOLS

14.3.	Transport	hazard	class	es)	
	rianopore	i iotalioti di	0.000		,

ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

### **Transport labels**



14.4. Packing group	
ADR/RID packing group	None
IMDG packing group	None
ICAO packing group	None
ADN packing group	None

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



EmS	F-D, S-U

ADR transport category	2
------------------------	---

Tunnel restriction code (D)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended).
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
	Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
	EH40/2005 Workplace exposure limits.
	The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).

### EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
Chemicals (REACH) (as amended).
Commission Regulation (EU) No 2015/830 of 28 May 2015.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Council Directive of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (as amended).

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### Inventories

#### **EU - EINECS/ELINCS**

None of the ingredients are listed or exempt.

SECTION 16: Other information	
Abbreviations and acronyms used in the safety data sheet	<ul> <li>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</li> <li>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</li> <li>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</li> <li>IATA: International Air Transport Association.</li> <li>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</li> <li>IMDG: International Maritime Dangerous Goods.</li> <li>CAS: Chemical Abstracts Service.</li> <li>ATE: Acute Toxicity Estimate.</li> <li>LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.</li> <li>LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).</li> <li>EC<sub>50</sub>: 50% of maximal Effective Concentration.</li> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> </ul>
Classification abbreviations and acronyms	vPvB: Very Persistent and Very Bioaccumulative. Aerosol = Aerosol Skin Irrit. = Skin irritation STOT SE = Specific target organ toxicity-single exposure Aquatic Chronic = Hazardous to the aquatic environment (chronic)
General information	The information contained in this Safety Data Sheet is believed to be true and correct, as of the issue date. The accuracy and completeness of this information and any recommendations, or suggestions are made without warranty or guarantee. Since the conditions of use are beyond the control of our company, it is the responsibility of the user to determine the conditions of safe use for this product.
Classification procedures according to Regulation (EC) 1272/2008	Asp. Tox. 1 - H304: STOT SE 3 - H336: Skin Irrit. 2 - H315: : Calculation method. Aquatic Chronic 2 - H411: : Calculation method. Aerosol 1 - H222, H229: : Expert judgement.
Revision comments	Risks recalculated to ensure data is up to date
Revision date	05/06/2018
Revision	4
Supersedes date	20/02/2018

SDS number	20716
Hazard statements in full	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H225 Highly flammable liquid and vapour.</li> <li>H226 Flammable liquid and vapour.</li> <li>H229 Pressurised container: may burst if heated.</li> <li>H302 Harmful if swallowed.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H332 Harmful if inhaled.</li> <li>H336 May cause drowsiness or dizziness.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> <li>H413 May cause long lasting harmful effects to aquatic life.</li> </ul>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.